

Moonwater - Berry Twist Riptide 60mg

Sample ID: 2602NBL0339.0955

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 02/24/2026

Completed: 03/04/2026

Expires: 03/04/2027

External Lot ID: MWBT60LOT06

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	02/28/2026	Complete
Residual Solvents	03/03/2026	Complete
Microbials	02/25/2026	Complete
Mycotoxins	02/27/2026	Complete
Pesticides	02/27/2026	Complete
Heavy Metals	02/25/2026	Complete
Foreign Matter	02/23/2026	Not Detected

Cannabinoids

Complete

64.574 mg/unit Total THC	0.0178% Δ9-THC	ND Total CBD	64.574 mg/unit Total Cannabinoids
------------------------------------	--------------------------	------------------------	---

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9062	1.359	ND	ND	ND
9R-HHC	0.9062	1.359	ND	ND	ND
(6aR,9S)-d10-THC	0.9062	1.359	ND	ND	ND
9S-HHC	0.9062	1.359	ND	ND	ND
CBC	0.9062	1.359	ND	ND	ND
CBCa	0.9062	1.359	ND	ND	ND
CBD	0.9062	1.359	ND	ND	ND
CBDa	0.9062	1.359	ND	ND	ND
CBDV	0.9062	1.359	ND	ND	ND
CBDVa	0.9062	1.359	ND	ND	ND
CBG	0.9062	1.359	ND	ND	ND
CBGa	0.9062	1.359	ND	ND	ND
CBN	0.9062	1.359	ND	ND	ND
CBNa	0.9062	1.359	ND	ND	ND
Δ8-THC	0.9062	1.359	ND	ND	ND
Δ9-THC	0.9062	1.359	64.574	0.18241	0.018
THCa	0.9062	1.359	ND	ND	ND
THCp	0.9062	1.359	ND	ND	ND
THCV	0.9062	1.359	ND	ND	ND
THCVa	0.9062	1.359	ND	ND	ND
Total THC			64.574	0.18241	0.018
Total CBD			ND	ND	ND
Total			64.574	0.18241	0.018

Date Tested: 02/28/2026

Density: 1 mL = 1.024 g, Unit Mass: 362.496 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Moonwater - Berry Twist Riptide 60mg

Sample ID: 2602NBL0339.0955

Received: 02/24/2026

Client

Matrix: Ingestible

Completed: 03/04/2026

Upstate Beverage Consultants

Type: Beverage

Expires: 03/04/2027

Lic. # SC000206-20260113

Sample Size:

External Lot ID: MWBT60LOT06

6 Whitlee Court Greenville, SC 29607

Date Collected:

Batch#:

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Fludioxonil	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Captan	0.690	0.207		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Naled	0.247	0.075		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlorfenapyr	0.079	0.030		ND	Tested	Paclbutrazol	0.099	0.030		ND	Tested
Chlormequat	0.099	0.030		ND	Tested	Methyl Parathion	0.079	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Cyfluthrin	0.493	0.148		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cypermethrin	0.493	0.148		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Daminozide	0.986	0.296		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyrethrins	0.493	0.148		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etoxazole	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Flonicamid	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested

Date Tested: 02/27/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Moonwater - Berry Twist Riptide 60mg

Sample ID: 2602NBL0339.0955	Received: 02/24/2026	Client
Matrix: Ingestible	Completed: 03/04/2026	Upstate Beverage Consultants
Type: Beverage	Expires: 03/04/2027	Lic. # SC000206-20260113
Sample Size:	External Lot ID: MWBT60LOT06	6 Whitlee Court Greenville, SC 29607
Date Collected:	Batch#:	(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 02/25/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 02/27/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.099		ND	Tested
Cadmium	0.049	0.099		ND	Tested
Lead	0.049	0.099		ND	Tested
Mercury	0.049	0.099		ND	Tested
Palladium	0.049	0.247		ND	Tested
Selenium	0.049	0.099		ND	Tested

Date Tested: 02/25/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Moonwater - Berry Twist Riptide 60mg

Sample ID: 2602NBL0339.0955

Received: 02/24/2026

Client

Matrix: Ingestible

Completed: 03/04/2026

Upstate Beverage Consultants

Type: Beverage

Expires: 03/04/2027

Lic. # SC000206-20260113

Sample Size:

External Lot ID: MWBT60LOT06

6 Whitlee Court Greenville, SC 29607

Date Collected:

Batch#:

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	62.500	208.333		ND	Tested
Benzene	0.250	0.833		ND	Tested
n-Butane	57.500	191.667		ND	Tested
Isobutane	57.500	191.667		ND	Tested
Ethanol	62.500	208.333		ND	Tested
Ethyl Acetate	62.500	208.333		ND	Tested
Heptane	62.500	208.333		ND	Tested
n-Hexane	1.250	4.167		ND	Tested
2,2-Dimethylbutane	1.250	4.167		ND	Tested
3-Methylpentane	1.250	4.167		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.500	8.333		ND	Tested
Methanol	25.000	83.333		ND	Tested
Isopentane	57.500	191.667		ND	Tested
n-Pentane	25.000	83.333		ND	Tested
Neopentane	57.500	191.667		ND	Tested
2-Propanol	62.500	208.333		ND	Tested
Propane	250.000	833.333		ND	Tested
Toluene	0.125	0.417		ND	Tested
Ethylbenzene	0.125	0.417		ND	Tested
m/p-Xylene	0.125	0.417		ND	Tested
o-Xylene	0.125	0.417		ND	Tested
1,1-Dichloroethene	0.500	1.667		ND	Tested
1,2-Dichloroethane	0.500	1.667		ND	Tested
Ethylene Oxide	1.250	4.167		ND	Tested
Acetonitrile	5.000	16.667		ND	Tested
Chloroform	0.500	1.667		ND	Tested
Ethyl Ether	62.500	208.333		ND	Tested
Dichloromethane	25.000	83.333		ND	Tested
Trichloroethene	5.000	16.667		ND	Tested
2,3-Butanedione	25.000	83.333		ND	Tested

Date Tested: 03/03/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

